

vidikron®

PRODUCT CATALOG



The Vidikron name has come to represent the standard by which all other Home Theater products are measured. The abiding philosophy behind Vidikron's family of quality products is that "looks are everything." Not only is this the precept for creating the clear, bright and seamless images expected from the world's finest projection equipment, but it is also the reason Vidikron was the first to commission world-class designers to create a product line that complemented and even enhanced high-end Home Theaters. Be assured, whichever Vidikron you select, it will prove to be the best value for your Home Theater entertainment.

Effective Date September 1, 2000

This Consumer Catalog is courtesy of your local Vidikron Dealer. To meet Vidikron's high criteria for appointing all dealers, a series of mandatory qualifications were met. This included much more than just the purchase of our products. Prior to being selected, Vidikron dealers must be proficient in installation, experienced in video alignment and have a proven track record in great customer relations. Once appointed a Vidikron Dealer, each key person goes through extensive Vidikron training. Vidikron takes its dealer training seriously, because a vital part of every quality Home Theater is the knowledgeable people you trust to plan and install it.











1413 Chestnut Avenue, Hillside, NJ 07205
1-800-VIDIKRON • 1-888-VIDIKRON • Fax: (201) 938-1917
vidikron@vidikron.com • www.vidikron.com





VISION SERIES PROJECTORS

The Vision Series exemplifies why Vidikron is "The Directors' Choice." These high-performance video projectors deliver the crispness and clarity that movie directors expect from film. These high-scan projectors accommodate video processors and computers. HDTV compatibility.


MODEL	DESCRIPTION	SHIP WT	MSRP	
VISION ONE	9" CRT projector with auto-align. 152kHz horiz. scan rate, zone color, and contrast correction. Cabinet colors: High-gloss white, black, Ferrari red, yellow or silver. Optional custom colors available.	250 lbs.	\$49,995	
VISION TWO	8" CRT projector. 152kHz horizontal scan rate, zone color and contrast correction. Cabinet colors: High-gloss white, black, yellow, silver or Ferrari red. Optional custom colors available.	230 lbs.	\$31,995	
VISION THREE	8" HDTV compatible CRT projector. 110kHz horizontal scan rate. Cabinet color: Black or white matte finish.	230 lbs.	\$24,995	
CMBV/M	Deluxe ceiling mount brackets for Vision series projectors. Fully adjustable with roll, pitch and yaw adjustments. Electrically raises and lowers projector. A labor saver. NOT to be used as a lift!	64 lbs.	\$1,995	
CMBV/S	Basic ceiling mount bracket for Vision series projectors. Fully adjustable with roll, pitch and yaw adjustments.	36 lbs.	\$695	
AUTO-ALIGN	Motorized automatic convergence camera that is microprocessor-controlled. Vision Two and Three Only.	4 lbs.	\$2,995	
MULTI-STANDARD DECODER	Multi-standard chroma card with two composite video and two S-video inputs. Decodes NTSC, PAL or SECAM composite video. Required for video playback if a video processor is not used.	2 lbs.	\$1,195	
VGA/MAC CARD	15-pin computer connectors for easy computer interfacing.	2 lbs.	\$325	

Vision Series projectors are custom-made to order. Please allow three to six weeks lead time. Specifications and prices are subject to change without notice. Prices effective September 1, 2000.



KRONOS ONE PROJECTOR

High-performance CRT video projector that delivers exceptional light output, with exceptional clarity and color. The Kronos One's high scan rate allows use with video processors and computers... and is fully HDTV compatible.


MODEL	DESCRIPTION	SHIP WT	MSRP	
KRONOS ONE	Pininfarina-designed 7" high scan CRT projector with 30-48kHz horiz. scan rate for line multiplier and/or computer. RGB inputs only. 12V output. 720p and 1080i HDTV compatibility. Includes ceiling bracket. Light gray finish. Call for information on custom colors.	99 lbs.	\$10,995	

These projectors are manufactured in Italy. Supply is subject to availability. Specifications and prices are subject to change without notice. Prices effective September 1, 2000.



EPOCH D-2200 PROJECTOR

The latest and most advanced of Vidikron's prestigious series of LCD projectors, the Epoch D-2200 is a high-brightness, ultra-high resolution polysilicon LCD projector with built-in digital video scaler. The Epoch D-2200 is the most sophisticated multimedia LCD projector ever offered by Vidikron. Its superb brightness allows it to project a 300" diagonal image.



MODEL	DESCRIPTION	SHIP WT.	MSRP	
EPOCH D-2200	Ultra high-brightness, ultra high-resolution LCD multi-media projector (1024 x 768) with built-in digital video scaler and lens shift function. RGB, component, S-Video and composite inputs. HDTV compatibility. Adjustable picture size from 30"-300". Multi-standard 100V/240V. Slate gray finish.	20.3 lbs.	\$13,499	
CMB-D-2200	Ceiling mount bracket designed for Epoch D-2200 projector.	13 lbs.	\$399	

Specifications and prices are subject to change without notice. Prices effective September 1, 2000.



BRS DIGITAL VIDEO SCALERS

Vidikron's BRS Broadcast Reference Scalers produce picture quality comparable to motion picture film. Providing direct pixel matching, they represent the state of the art in the field of digital enhancement of video signals...producing seamless, brilliant images that should be considered an integral part of the ultimate Vidikron Home Theater.

MODEL	DESCRIPTION	SHIP WT.	MSRP	
BRS 2800 DIGITAL VIDEO SCALER	Broadcast reference digital scaler. Allows direct pixel matching with fixed panel displays. Inputs feature Y/C (S-Video) and component (Y, Pb, Pr). Outputs include 525p and 625p, VGA (640 x 480), SVGA (800 x 600), XGA (1024 x 768), and SXGA (1280 x 1024). Four aspect ratio memories. RS-232 control as well as front panel controls. Accepts and processes NTSC and PAL sources. 50/60Hz, 100/240V. Rack mount included. Black color.	9.9 lbs.	\$8,995	
BRS 3800 DIGITAL VIDEO SCALER	State-of-the-art broadcast digital scaler designed for 8" and 9" CRT projectors. Inputs include Y/C (S-Video) and component (Y, Pb, Pr), 480p and HDTV. Accepts both PAL and NTSC sources. Outputs allow for the highest frequency possible at 1080p/72Hz. Other outputs include 1080i, 720p at 60Hz, 72Hz, and 75Hz for PAL. Four aspect ratio memories. RS-232 and front panel controls. Unique 72Hz feature allows exact matching with film-based sources. 100/240V, 50/60Hz. Rack mount included. Black color.	9.9 lbs.	\$13,995	





Specifications and prices are subject to change without notice. Prices effective September 1, 2000.






DVS DIGITAL VIDEO SCALERS

Vidikron's award-winning DVS Digital Video Scalers produce breathtaking picture quality that rivals motion picture film, turning your Home Theater into a true cinema experience. The ET-100DS provides high-quality line doubling at very affordable rates.

MODEL	DESCRIPTION	SHIP WT.	MSRP	
DVS 2500 DIGITAL VIDEO SCALER	Digitally multiplies scan rate from 2 to 2-1/2 times for high-resolution pictures using patented circuitry that prevents artifacting and loss of detail. 100/240V, 50/60Hz. Accepts NTSC and PAL composite video, component video, and S-Video. Computer, HDTV and DTV pass-through. Requires monitor w/ 31.5kHz (2x) or 38kHz (2.5x) horizontal scanning frequency.	21 lbs.	\$7,995	
DVS 3500 DIGITAL VIDEO SCALER	Digitally processes scan lines for high-res. pictures, using patented color decoding, motion logic and bandwidth expansion circuitry. Output resolution ranges from 640 x 480, 800 x 600, 1024 x 768, and 1280 x 1024. HDTV/DTV frequencies 720p, 1080i, 960p, 1080p.	24 lbs.	\$19,995	
DVS 3500U	DVS 3500U accepts PAL and NTSC signals.	24 lbs.	\$21,995	
DVS 5500 DIGITAL VIDEO SCALER	Digitally processes scan lines for high-res. pictures. Digitally scales HDTV signals to 1080p. Patented color decoding, motion logic and bandwidth expansion circuitry. Output res. ranges from 640 x 480, 800 x 600, 1024 x 768, and 1280 x 1024. HDTV/DTV frequencies 720p, 1080i, 960p, 1080p.	24 lbs.	\$25,995	
DVS 5500U	DVS 5500U accepts PAL and NTSC signals.	24 lbs.	\$27,995	
ET-100DS	480p advanced digital line doubler. Broadcast-quality video processor converts NTSC and S-Video signals to 31.5kHz frequency for smooth, film-like images. Full line-lock 3-D digital filter and digital noise reduction. 3 video/audio inputs (1 S-Video, 2 composite).	24 lbs.	\$3,895	

Specifications and prices are subject to change without notice. Prices effective September 1, 2000.











PROJECTOR LIFTS

Remote-controlled ceiling lifts automatically lower and retract projector. Custom-designed and built for all Vidikron projectors.


Please allow four weeks lead time on all Vidikron lifts

MODEL	DESCRIPTION	SHIP WT	MSRP	
CPL EPOCH SC COMPACT LIFT	Motorized scissors-type projector mount. Adjustable to lower and raise projector from 15" to 24". New smaller size. For use with <i>Epoch series projectors only.</i>	175 lbs.	\$2,995	
CPL 12 CEILING PROJECTOR LIFT	Motorized rack & pinion projector mount. For use with <i>Epoch series projectors only.</i>	130 lbs.	\$3,525	
CPL KRONOS RP CEILING PROJECTOR LIFT	Motorized rack & pinion projector mount. For use with <i>Kronos series projectors only.</i>	185 lbs.	\$4,795	
CPL VISION RP PROJECTOR LIFT	Motorized rack & pinion projector mount. For use with <i>Vision series projectors only.</i>	230 lbs.	\$5,395	
CPL 400 CEILING PROJECTOR LIFT	Motorized scissors-type projector mount. Adjustable to lower and raise projector as much as 7.5 ft. For use with <i>Kronos and Epoch series projectors only.</i>	235 lbs.	\$5,750	
CPL VISION SC PROJECTOR LIFT	Motorized scissors-type projector mount. Adjustable to lower and raise projector as much as 7.5 ft. For use with <i>Vision series projectors only.</i>	250 lbs.	\$6,895	

Specifications and prices are subject to change without notice. Prices effective September 1, 2000.



For More Information Telephone Vidikron At 1-800-VIDIKRON



VIDIKRON SCREENS




Vidikron offers a full array of high-performance screens with superb picture quality. From fixed-frame wall screens to electrically operated models that lower out of the ceiling, each delivers optimal viewing for its own specific design use. Vidikron will assist with any questions you may have.

DESCRIPTION	SPECIFICATIONS	MODEL	CASE LENGTH	SHIP WT.	VIEWING AREA	MSRP	
HPX ELECTRIC SCREENS High-performance flat electric screens with a special high-gain surface 1.5 times brighter than a matte white surface. Black borders with 24" of adjustable black drop.	End case is 5-7/8"H x 4-5/8"D (All HPX screens). Housing color white.	HPX 72	70"	37 lbs.	43.5" x 58"	\$845	
		HPX 84	80"	41 lbs.	51" x 68"	\$870	
		HPX 100	92"	48 lbs.	60" x 80"	\$925	
		HPX 120	104"	54 lbs.	68" x 92"	\$955	
FES ELECTRIC SCREENS Flat electric screens with a matte white surface providing uniform color and light dispersion. Black borders with 24" of adjustable black drop.	End case is 5-7/8"H x 4-5/8"D (All FES screens). Housing color white.	FES 72	70"	37 lbs.	43.5" x 58"	\$845	
		FES 84	80"	41 lbs.	51" x 68"	\$870	
		FES 100	92"	48 lbs.	60" x 80"	\$925	
		FES 120	104"	51 lbs.	68" x 92"	\$955	
V/TTS TAB-TENSIONED SCREENS Flat electric screens with 1.3 gain pearlescent surface and system of cables and tabs that tensions the screen for flatter surface. Black borders with 12" of adjustable black drop.	End case 8"H x 6"D (All V/TTS screens). Housing color black.	V/TTS 72	75"	59 lbs.	43" x 57"	\$2,280	
		V/TTS 84	86"	65 lbs.	50.5" x 67"	\$2,495	
		V/TTS 100	100"	74 lbs.	60" x 80"	\$2,825	
		V/TTS 120	118"	83 lbs.	72" x 96"	\$3,215	
V/PFS FIXED FLAT SCREENS High-performance flat fixed screens with special pearlescent surface 1.3 times brighter than matte white screens. Snaps to 1.5" sq. black aluminum frame.	All V/PFS screens snapped onto 1.5" sq. black aluminum frame for flattest surface available. Wall mount brackets included.	V/PFS 72	46"x60.5"	22 lbs.	43" x 57.5"	\$775	
		V/PFS 84	53.5"x70"	24 lbs.	50.5" x 67"	\$950	
		V/PFS 100	63" x 83"	30 lbs.	60" x 80"	\$1,215	
		V/PFS 120	75" x 99"	36 lbs.	72" x 96"	\$1,530	



Specifications and prices are subject to change without notice. Prices effective September 1, 2000.

VIDIKRON SCREENS continued

16:9 RATIO WIDESCREENS

DESCRIPTION	SPECIFICATIONS	MODEL	CASE LENGTH	SHIP WT.	VIEWING AREA	MSRP	
V/W-TTS TAB-TENSIONED SCREENS 16:9 wide-screen ratio. Flat, roll-up electric screens with 1.3 gain pearlescent surface. Black borders with 12" of adjustable black drop.	All V/W-TTS screens have an end case dimension of 8"H x 6"D.	V/W-TTS 100	106"	70 lbs.	49" x 87"	\$2,855	
		V/W-TTS 110	115.5"	80 lbs.	54" x 96"	\$3,070	
		V/W-TTS 123	127"	95 lbs.	60" x 107"	\$3,285	
V/W-PFS FIXED FLAT SCREENS 16:9 wide-screen ratio. Flat, fixed-frame screens with a 1.3 gain pearlescent surface.	All V/W-PFS screens are snapped onto a 1.5" black aluminum square tubing frame for the flattest surface available. Wall mount brackets included.	V/W-PFS 100	52"x 90"	30 lbs.	49" x 87"	\$1,155	
		V/W-PFS 110	57"x 99"	32 lbs.	54" x 96"	\$1,285	
		V/W-PFS 123	63"x 110"	34 lbs.	60" x 107"	\$1,480	
WFES ELECTRIC SCREENS 16:9 wide-screen ratio. Electric screens with flat white matte surface.	All WFES screens have an end case dimension of 5 ⁷ / ₁₆ "H x 4 ⁵ / ₁₆ "D. Housing color black.	WFES 100	99"	52 lbs.	49" x 87"	\$955	
		WFES 110	108"	54 lbs.	54" x 96"	\$1,030	

VARIABLE RATIO WIDESCREENS

V/HTTS SCREENS (Tensioned) Variable ratio electric screens with 1.3 gain surface and system of cables and tabs that tensions screen. Black borders with 12" of adjustable black drop.	All V/HTTS screens have an end case dimension of 8 ¹⁵ / ₁₆ "H x 9 ³ / ₁₆ "D. Housing color black.	V/HTTS 110	123"	145 lbs.	1.33: 72"x 96" 1.78: 54"x 96" 1.85: 52"x 96" 2.35: 41"x 96"	\$6,495	
		V/HTTS 100	113"	130 lbs.	1.33: 65.5"x 87" 1.78: 49"x 87" 1.85: 47"x 87" 2.35: 37"x 87"	\$6,190	
V/HFES SCREENS (Non-Tensioned) Variable ratio electric screens with flat white matte surface. Black borders with 12" of adjustable black drop.	All V/HFES screens have an end case dimension of 8 ¹⁵ / ₁₆ "H x 9 ³ / ₁₆ "D. Housing color black.	V/HFES 110	113.5"	140 lbs.	1.33: 72"x 96" 1.78: 54"x 96" 1.85: 52"x 96" 2.35: 41"x 96"	\$4,215	
		V/HFES 100	104.5"	128 lbs.	1.33: 65.5"x 87" 1.78: 49"x 87" 1.85: 47"x 87" 2.35: 37"x 87"	\$4,195	

Lead time for the V/HTTS is seven (7) working days, and the V/HFES is five (5) working days.



ACCESSORIES

An excellent selection of compatible accessories to round out a full Home Theater System, ranging from transcoders to remote control relays to high-resolution cables. Each augments your system in important ways. Vidikron will gladly advise on the use of all accessories.

DESCRIPTION	SPECIFICATIONS	MSRP	PROJECTOR
CVT-100	Component video (Y, Pb, Pr) to RGB transcoder. 100MHz wide bandwidth circuitry. Fully HDTV compatible. RGB loop-through, IR remote and RS-232 control. Unique copyguard circuitry eliminates flashing and banding problems from Macrovision™ encoding. 50/60Hz, 120/240V.	\$1,495	Vision Series, Kronos Series, and Epoch Series
VSR 2 AUTOMATIC SCREEN RELAY	Heavy-duty 12V triggered screen relay plugs into projector for automatic electric screen operation.	\$175	Kronos Series
HR S-VIDEO CABLE	SVHS high-resolution Y/C cable. Specifically designed for home theater applications. DIN to DIN terminations. 22AWG solid FPC-6 copper conductors.	10m \$229	Vision Series, Kronos Series
HR VIDEO CABLE	Composite high-resolution video cable specifically designed for home theater applications. RCA to RCA terminations. 22AWG silver-plated solid LGC copper conductor. Ultra low-loss Teflon dielectric insulator. Digital ready.	10m \$85 20m \$115 30m \$155	Vision Series, Kronos Series
PENTA HR CABLES and RS-232 CABLES	Five wide bandwidth BNC to BNC cables and a 25 pin male to 9 pin male RS-232 cable in one easy-to-install sleeve. 22AWG silver-plated solid LGC copper conductor. Ultra low-loss Teflon dielectric insulator. Digital ready.	10m \$515 20m \$780 30m \$1,050	Vision Series, Kronos Series

Specifications and prices are subject to change without notice. Prices effective September 1, 2000.

For More Information Telephone Vidikron At 1-800-VIDIKRON